

Halogen Rapid Moisture Analyzer 0.01% 0.005g 120g 40~200℃

120g
0.005g
0.01%
40~200℃

Table:

Model	DL-SFY-120
Capacity	120g
Resolution	0.005g
Accuracy	0.01%
Heating Method	Halogen Infrared
Temperature Range	40~200 °C
Heating Time	100min
Sample Size	Φ90mm
Sample Weight	≤100g
Power	AC
Features	Auto Moisture Measurement
Display	Auto Moisture Measurement
Power Supply	1~99V
Dimensions	310×205×200mm



力. 115820033767

Tea Moisture Meter DL-SFY-120

Screen : LCD
Pan Size : 90mm
Max Capacity : 120g



Display : 0.005g
Readability : 0.01%
Temp Range : 40-200°C

L:31cm W:21cm H:20cm

Website: delijx.com Email: info@delijx.com
WhatsApp/ WeChat/ Tel: 0086-18120033767













深圳良辰实验仪器有限公司
仪器型号: LK-120A 称量精度: 0.001g
最大称量: 120g 称量范围: 0.01g
最大容量: 120g 工作电压: AC220V 50Hz

HALOGEN RAPID MOISTURE TESTER

Max= 120g
d= 5mg

06:20 AUTO

105°C



78.02 %MC



开始/增加
Start/Up



清零/减少
Zero/Down



停止/关机
Stop/Off







Quanzhou Deli Agroforestril Machinery Co., Ltd.

12# Dongqing Road, Chengxiang Town,

Anxi County, Quanzhou, Fujian, China (Mainland)

WhatsApp / WeChat: 0086-18120033767

Email : info@delijx.com

Web: www.delijx.com

↓ ↓ 10 ↓ ↓