

电动机	功率	2.2kW
	转速	1400rpm
	电压	220V
电动机	功率	1.5kW
	转速	1400rpm
	电压	220V
电动机	功率	0.55kw
	转速	1400rpm
	电压	220V
干燥效率		≈50%
水分蒸发率		≤5%
1 m ² 干燥面积		2.5kg
每小时产量		105kg/h
重量		55kg/台

柴油加热带式茶叶烘干机 .

型号	干燥面积 (m ²)	产量 (kg/h)	重量 (kg)
6CHL-CY10	10m ²	42kg/台	22kg/台
6CHL-CY16	16m ²	90kg/台	50kg/台
6CHL-CY20	20m ²	105kg/h	55kg/台
6CHL-CY24	24m ²	140kg/h	75kg/h
6CHL-CY30	30m ²	190kg/台	100kg/台
6CHL-CY32	32m ²	210kg/台	110kg/台
6CHL-CY40	40m ²	295kg/h	155kg/h
6CHL-CY50	50m ²	420kg/h	220kg/台
6CHL-CY60	60m ²	570kg/h	300kg/台

干燥效率: 水分蒸发率: ≈ 50% 重量: ≤5%.

每小时产量





Assistant
— Deli Technology



DELIJX.COM







CHAIN PLATE SPEED (RPM)
链板速度 转速表



FAN MOTOR SPEED (RPM)
风机转速 转速表



VOLTAGE
电源电压



慢 快
SLOW FAST
CHAIN PLATE SPEED
链板速度



慢 快
SLOW FAST
FAN MOTOR SPEED
风机转速



关 油机 开
OFF ON
OIL BURNER
油 机



POWER LED
电源指示灯



关 开
OFF ON
CHAIN PLATE
传送 (链板)



关 开
OFF ON
FAN MOTOR
风机



关 开
OFF ON
TEA THICKNESS CONTROL
拨 料



关 开
OFF ON
POWER
电 源





Quanzhou Deli Agroforestrial Machinery Co., Ltd.

12# Dongqing Road, Chengxiang Town,

Anxi County, Quanzhou, Fujian, China (Mainland)

WhatsApp / WeChat: 0086-18120033767

Email : info@delijx.com

Web: www.delijx.com

↓↓ 10 ↓↓